

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	22	"rotary tablet" and "pressing force"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/27 14:16
L2	33	"4570229"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/27 14:29
L3	30269	speed near reduced	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/27 14:29
L4	0	3 and 2	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/27 14:29
L5	1	3 and 1	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/27 14:29
L6	19	2 and speed	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/27 14:31
L7	48266	(reduced or reducing) near speed	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/27 14:31
L8	6	7 and "rotary tablet"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/27 14:33
L9	3845	"rated speed"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/27 14:33
L10	1189	9 and rotor	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/27 14:33
L11	147	10 and 7	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/27 14:34
L12	2	11 and tablet	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/27 14:34

L13	25	11 and pressing	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/27 14:35
L14	7	"pressing force" and matrix and tablet and speed and rotor	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/27 14:38
L15	166	limit near reached near speed	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/27 14:38
L16	39	15 and rotor	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/27 14:40
L17	105	"rotor speed reduced"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/27 14:51
L18	299	"speed control" near rotor	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/27 14:51
L19	1	18 and tablet	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/27 14:51
L20	115	18 and pressure	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/27 14:52
L21	2	18 and "pressing force"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/27 14:52
L22	121	18 and drive and force	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/27 14:52
L23	73	20 and 22	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/27 14:53
L24	151	"tablet forming machine"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/27 14:53

L25	6010748	24 and speed control	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/27 14:53
L26	1	24 and "speed control"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/27 14:54
L27	16	24 and speed and limit	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/27 15:01
L28	18504	"speed reduced"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/27 15:03
L29	182	28 and tablet	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/27 15:01
L30	16	29 and rotor\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/27 15:01
L31	109	"speed reduced" near rotor\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/27 15:06
L32	36	"reducing speed" near rotor\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/27 15:07
L33	1	"reducing speed" and "tablet forming"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/27 15:08
L34	50	"reducing speed" and tablet	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/27 15:09
L35	50	34	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/27 15:08
L36	77	rotor and standstill and "speed controlled"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/27 15:12

L37	1	36 and tablet	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/27 15:10
L38	0	rotor and standstill and "speed control\$4"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/27 15:12
L39	1189	"rated speed" and rotor	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/27 15:12
L40	92	39 and "limit value"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/27 15:13
L41	1	40 and tablet	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/27 15:13
L42	67	40 and pressure	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/27 15:14
L43	10	42 not turbine	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/27 15:17
L44	878	rotor and compared and "actual speed"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/27 15:17
L45	0	44 and "desired speed"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/27 15:18
L46	1	44 and tablet	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/27 15:18
L47	126	44 and "rated speed"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/27 15:18
L48	33	47 not turbine	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/27 15:27

L49	33	"4570229"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/27 15:28
L50	3	49 and "speed control"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/27 15:29
L51	2	49 and rotor and speed	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/27 15:30
L52	2	49 and rotor	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/27 15:30
L53	19	49 and speed	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/27 15:50
L54	0	"slowing the speed of the rotor"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/27 15:50
L55	0	"slowing otor"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/27 15:50
L56	61	"slowing rotor"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/27 16:02
L57	0	56 and tablet	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/27 15:50
L58	4	56 and pressing	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/27 15:50
L59	94	"rotor speed controlled"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/27 16:29
L60	6	"pressing force" and "speed control" and "reducing speed"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/27 16:29

L61	137	press and "speed control" and "reducing speed"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/27 16:29
L62	1	61 and "700"/\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/27 16:30
L63	55	"reducing speed" and "700"/\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/27 16:34
L64	236	"rotor speed control"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/27 16:34
L65	0	64 and "sensed condition"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/27 16:35
L66	61	64 and "sensed"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/27 16:36
L67	33	66 not turbine	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/27 16:37
L68	117	press and "reduce speed" and punch	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/27 16:41
L69	1	"4479767".PN.	USPAT; USOCR	OR	ON	2005/10/27 16:39
L70	235875	speed same reduced	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/27 16:41
L71	0	70 and rotory and tablet	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/27 16:41
L72	30	70 and rotory	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/27 16:42
L73	85	"required speed" and "rated speed"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/27 16:43

L74	60	73 and reduced	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/27 16:45
L75	300	700/174	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/27 16:45
L76	2476635	75 and rated speed	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/27 16:45
L77	160	75 and speed	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/27 16:45
L78	1	77 and tablet	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/27 16:45
L79	13	75 and rotor	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/27 16:50
L80	142	"rotor speed" near reduced	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/27 16:50
L81	108	80 not turbine	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/27 16:50
L82	8	81 and matrix	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/27 16:50
L83	2	81 and punch	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/27 16:51
L84	254	rotor and punch and speed and controller	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/27 16:51
L85	7	84 and tablet	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/27 16:52

L86	565	"speed reduced" and "limit value"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/27 16:52
L87	66	86 and rotary	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/27 16:53
S1	0	("EP698481B1").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/26 16:11
S2	0	EP0698481	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/26 16:11
S3	4	"0698481"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/26 16:11
S4	0	"EP0698481"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/26 16:15
S5	1182	"rotary tablet"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/26 16:16
S6	63	S5 and drive and matrix	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/26 16:28
S7	1	"4191523".PN.	USPAT; USOCR	OR	ON	2005/10/26 16:23
S8	1	"4362491".PN.	USPAT; USOCR	OR	ON	2005/10/26 16:23
S9	1	"4988275".PN.	USPAT; USOCR	OR	ON	2005/10/26 16:24
S10	1	"5004413".PN.	USPAT; USOCR	OR	ON	2005/10/26 16:24
S11	8	"upper punch" and "lower punch" and tablet and "pressing force" and rotor	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/26 16:34
S12	300	700/174	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/26 16:34



S13	229	425/345	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/26 16:34
S14	0	S12 and S13	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/27 14:09